
Longwall Shield Replacement Element


Schroeder Part Number: MSB-3176-225B (25µ)

Replacement for 4UC-3176-000 element



Technical Specifications

Max. Pressure:	5,000 psi (350 bar)
Max. Differential Pressure:	5,000 psid (350 bar)
Competition fails at:	1500 psid (103 bar)
Max Flow Rate:	0.5 GPM (2 L/min)
Filter Rating:	25 micron
Material (Body):	Stainless Steel
Metal Mesh:	Stainless Steel Wrap
O-Ring:	Buna N
Back-Up Ring:	Nylon



Advantages

5 mm hex

5 mm internal hex cavity and slot incorporated into the element end cap for easier element removal.

Lower pressure drop

Extra cross drill ports beneath element media result in increase flow and therefore lower pressure drop across element, up to 1/3 less than that of the competition's equivalent.

Proven Schroeder quality

Schroeder has been providing contamination solutions to the mining industry for over 50 years.

Factory & field support

Dedicated specifically to the mining industry.



Advanced Fluid Conditioning Solutions®


shown with optional outer support ring

Longwall Shield Replacement Element


Schroeder Part Number: MSB-3077-525B (25µ) & MSB-3077-540B (40µ)

Replacement for 4UC-3077-020 & 4UC 3077-021 elements










Technical Specifications

Max. Pressure:	5,000 psi (350 bar)
Max Flow Rate:	40 GPM (150 L/min)
Filter Rating:	25/40 micron
Material:	Stainless Steel
End Caps, Support Tubes	
Metal Mesh:	Stainless Steel Pleated
O-Ring:	Buna N
Back-Up Ring:	Nvlon

Pressure Drop



Advantages

Outer Optional Support Ring

Optional outer support ring to prevent buldging if system backflushing occurs.

Plasma Weld

Plasma seam weld instead of epoxy provides better pleat stability and more working surface area.

Lower pressure drop

Better media construction results in lower pressure drop across element.

Proven Schroeder quality

Schroeder has been providing contamination solutions to the mining industry for over 50 years.

Factory & field support

Dedicated specifically to the mining industry.




Advanced Fluid Conditioning Solutions®


Longwall Shield Replacement Element

Schroeder Part Number: MSB-1330-325B (25µ), MSB-1330-340B (40µ), MSB-1330-380B (80µ)& MSB-1330-100B (100µ)

Replacement for 4UC 1330-022 (25μ), 4UC 1330-020 (40μ) ,4UC 1330-021 (80μ) & 4UC 1330-023 (100μ) elements








Technical Specifications

Max. Pressure:	6,000 psi (400 bar)
Max Differential Pressure:	5000 psid (350 bar)
Max Flow Rate:	48 GPM (180 L/min)
Filter Rating:	25/40/80/100 micron
Material:	Stainless Steel
End Caps, Support Tubes	
Support Ring	
Metal Mesh:	Stainless Steel Wrap
O-Ring:	Buna N
Back-Up Ring:	Nylon



Advantages

Lower pressure drop

Better media construction results in lower pressure drop across element, promoting a longer element life.

Proven Schroeder quality

Schroeder has been providing contamination solutions to the mining industry for over 50 years.

Factory & field support

Dedicated specifically to the mining industry.




Advanced Fluid Conditioning Solutions®

Longwall Shield Replacement Element

Schroeder Part Number: MSB-3070-225 (25μ), MSB-3070-240 (40μ), MSB-3070-280 (80μ)& MSB-3070-2100 (100μ)


Replacement for 4UC 3070-030 (25 μ), 4UC 3070-031 (40 μ) ,4UC 3070-032 (80 μ) & 4UC 3070-042 (100 μ) elements





Technical Specifications

Max. Pressure:	5,000 psi (350 bar)
Max Differential Pressure:	5000 psid (350 bar)
Max Flow Rate:	52 GPM (200 L/min)
Filter Rating:	25/40/80/100 micron
Material:	Stainless Steel
End Caps, Support Tubes	
Support Ring	
Metal Mesh:	Stainless Steel Wrap



Advantages

Lower pressure drop

Better media construction results in lower pressure drop across element, promoting longer life.

Proven Schroeder quality

Schroeder has been providing contamination solutions to the mining industry for over 50 years.

Factory & field support

Dedicated specifically to the mining industry.



Advanced Fluid Conditioning Solutions®